

Message

From: Armstrong, Joan [Armstrong.Joan@epa.gov]
Sent: 1/6/2021 9:53:40 PM
To: Pratt, Stacie [Pratt.Stacie@epa.gov]; Rogers, Rick [rogers.rick@epa.gov]; Harsh, Chad [Harsh.Chad@epa.gov]
Subject: RE: - Chemours/Dupont

No need for details, this is all I need. Thanks.

Joan Armstrong, Deputy Director
Enforcement & Compliance Assurance Division (3ED00)
U.S. EPA – Region 3
1650 Arch Street
Philadelphia, PA 19103
215-814-3155
armstrong.joan@epa.gov

From: Pratt, Stacie <Pratt.Stacie@epa.gov>
Sent: Wednesday, January 06, 2021 4:53 PM
To: Armstrong, Joan <Armstrong.Joan@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>; Harsh, Chad <Harsh.Chad@epa.gov>
Subject: RE: - Chemours/Dupont

Ex. 5 Deliberative Process (DP)

Thanks.

From: Armstrong, Joan <Armstrong.Joan@epa.gov>
Sent: Wednesday, January 06, 2021 4:11 PM
To: R3 ECAD_MGRs <R3_ECAD_MGRs@epa.gov>
Subject: - Chemours/Dupont

Hi Folks,

I've been asked to provide information on any involvement we may have with any of the following facilities. I've asked Moshood and Deb to do a compliance check from our various databases, but I wanted to check in with you to see if there is anything in the "works" with any of these facilities that may not be captured in those DBs. If you could let me know by next Tuesday 1/12, I'd appreciate it.

Joan

Joan Armstrong, Deputy Director
Enforcement & Compliance Assurance Division (3ED00)
U.S. EPA – Region 3
1650 Arch Street
Philadelphia, PA 19103
215-814-3155
armstrong.joan@epa.gov

From: Armstrong, Joan
Sent: Wednesday, January 06, 2021 11:00 AM
To: Deborah Goldblum <Goldblum.Deborah@epa.gov>; Oduwole, Moshood <Oduwole.Moshood@epa.gov>
Cc: Melvin, Karen <Melvin.Karen@epa.gov>
Subject: Compliance determination- Chemours/Dupont

Hi Deb and Moshood,

Can you do a compliance check on the following facilities? I believe Makeba Morris will know what to do for these compliance checks. I don't have a deadline yet, I just asked Linda when she needs to the info by. As soon as she let's me know – I will forward to you.

Region 3

1. Tralee Park, Newark, DE (New DuPont)
2. Experimental Station, Wilmington, DE (New DuPont)
3. Towanda, PA (New DuPont)
4. **Washington Works, WV** (Chemours, New DuPont)
5. **Spruance Richmond, VA** (New DuPont)
6. Corteva Martinsville, VA (Corteva)
7. Waynesboro Nursery, VA (Corteva)

Thanks,
Joan

Joan Armstrong, Deputy Director
Enforcement & Compliance Assurance Division (3ED00)
U.S. EPA – Region 3
1650 Arch Street
Philadelphia, PA 19103
215-814-3155
armstrong.joan@epa.gov

From: Dietz, Linda <Dietz.Linda@epa.gov>
Sent: Wednesday, January 06, 2021 10:11 AM
To: Gillespie-Marthaler, Leslie <GillespieMarthaler.Leslie@epa.gov>; Armstrong, Joan <Armstrong.Joan@epa.gov>
Cc: Dunn, Michael <dunn.michael@epa.gov>; Driscoll, Stacie <Driscoll.Stacie@epa.gov>; Rodrigues, Cecil <rodrigues.cecil@epa.gov>
Subject: FW: Discussion Regarding PA/SIs at Chemours and DuPont facilities in Regions 1-7

I already sent this to LCRD. Are you aware of any involvement at these facilities ?

Region 3

1. Tralee Park, Newark, DE (New DuPont)
2. Experimental Station, Wilmington, DE (New DuPont)
3. Towanda, PA (New DuPont)
4. **Washington Works, WV** (Chemours, New DuPont)
5. **Spruance Richmond, VA** (New DuPont)
6. Corteva Martinsville, VA (Corteva)


7. Waynesboro Nursery, VA (Corteva)

Linda Dietz, Deputy Director
Superfund and Emergency Management Division (SEMD)
EPA Region 3
215-814-3195 (desk)
215-892-8261 (cell)
Dietz.linda@epa.gov

From: Leonard, Paul <leonard.paul@epa.gov>
Sent: Wednesday, January 6, 2021 9:49 AM
To: Dietz, Linda <Dietz.Linda@epa.gov>; Rodrigues, Cecil <rodrigues.cecil@epa.gov>
Subject: FW: Discussion Regarding PA/SIs at Chemours and DuPont facilities in Regions 1-7

I think we should identify a SEMD and ORC POC

Paul Leonard, Director
Superfund and Emergency
Management Division
USEPA Region 3
Philadelphia, PA 19103
215 814 3350
Leonard.paul@epa.gov



From: Mackey, Cyndy <Mackey.Cyndy@epa.gov>
Sent: Tuesday, January 05, 2021 8:59 AM
To: Olson, Bryan <Olson.Bryan@epa.gov>; Evangelista, Pat <Evangelista.Pat@epa.gov>; Leonard, Paul <leonard.paul@epa.gov>; Monell, Carol <Monell.Carol@epa.gov>; Stenger, Wren <stenger.wren@epa.gov>; Ballotti, Doug <ballotti.douglas@epa.gov>; Peterson, Mary <Peterson.Mary@epa.gov>; Dierker, Carl <Dierker.Carl@epa.gov>; Humphrey, Leslie <Humphrey.Leslie@epa.gov>; McGuire, James <McGuire.James@epa.gov>; Nelson, Leverett <nelson.leverett@epa.gov>; Palmer, Leif <Palmer.Leif@epa.gov>; Rodrigues, Cecil <rodrigues.cecil@epa.gov>; Schaaf, Eric <Schaaf.Eric@epa.gov>; Zucker, Audrey <Zucker.Audrey@epa.gov>; Lieber, Thomas <Lieber.Thomas@epa.gov>; Flanagan, Sarah <Flanagan.Sarah@epa.gov>; Briggs-Steuteville, Sheila <Briggs-Steuteville.Sheila@epa.gov>; Nishitani, Brian <nishitani.brian@epa.gov>; Parent, Suzanne <Parent.Suzanne@epa.gov>; Clay, David <Clay.David@epa.gov>; Johnson, MaryC <Johnson.MaryC@epa.gov>; Kyte, Larry <kyte.larry@epa.gov>; Chiang, I-Jung <chiang.i-jung@epa.gov>; Hoefer, David <Hoefer.David@epa.gov>
Cc: Healy, Helena <Healy.Helena@epa.gov>; Steiner-Riley, Cara <Steiner-Riley.Cara@epa.gov>; Hanselman, Erik <Hanselman.Erik@epa.gov>; DeLeon, Rafael <DeLeon.Rafael@epa.gov>; Gardner, Monica <Gardner.Monica@epa.gov>; Patterson, Kenneth <Patterson.Kenneth@epa.gov>; Stalcup, Dana <Stalcup.Dana@epa.gov>; Ammon, Doug <Ammon.Doug@epa.gov>
Subject: Discussion Regarding PA/SIs at Chemours and DuPont facilities in Regions 1-7

Happy New Year Superfund Division Directors and Regional Counsel Colleagues:

Ex. 5 Deliberative Process (DP)

Cyndy Mackey

Director, Office of Site Remediation Enforcement

EPA-Office of Enforcement and Compliance Assurance (Mail Code-2271A)

1200 Pennsylvania Ave., N.W. (Room-WJC 5206) Washington, DC 20460

202 564-8206 (Direct Line)

202 564-5110 (Office Line)

202 591-6184 (Office Cell)

This email is for the intended recipient only and may contain material that is privileged and/or confidential. If you believe you have received this email in error, please notify the sender. Thank you